

L Number	Hits	Search Text	DB	Time stamp
1	5	427/318.ccls. and medical	USPAT	2002/06/23 17:39
2	2	(427/318.ccls. and medical) and (pre\$1heat\$4)	USPAT	2002/06/23 17:31
3	475	427/318.ccls.	USPAT	2002/06/23 17:39
4	181	427/318.ccls. and solution	USPAT	2002/06/23 17:40
5	29	(427/318.ccls. and solution) and (solvent same evaporat\$4)	USPAT	2002/06/23 17:40

L Number	Hits	Search Text	DB	Time stamp
1	1675	427/2.1-2.31.ccls.	USPAT	2002/06/22 17:29
2	15	427/2.1-2.31.ccls. and (heat same stent)	USPAT	2002/06/22 17:43
3	5	427/314-331.ccls. and stent	USPAT	2002/06/22 19:49
4	1	(427/314-331.ccls. and stent) and pre\$1heat\$3	USPAT	2002/06/22 18:51
5	0	(pre\$1heat\$1 same stent) and 427/2.1-2.31.ccls.	USPAT	2002/06/22 18:51
6	1	(427/314-331.ccls. and stent) and (heat\$3 same stent)	USPAT	2002/06/22 18:56
7	2	pre\$heat\$3 same stent same coat\$3	USPAT	2002/06/22 18:57
8	230	427/2.1-2.31.ccls. and (gas and evaporat\$4)	USPAT	2002/06/22 19:54
9	75	(427/2.1-2.31.ccls. and (gas and evaporat\$4)) and rotat\$4	USPAT	2002/06/22 19:51
10	18	((427/2.1-2.31.ccls. and (gas and evaporat\$4)) and rotat\$4) and stent	USPAT	2002/06/22 19:51
11	16	((427/2.1-2.31.ccls. and (gas and evaporat\$4)) and rotat\$4) and stent) and spray\$4	USPAT	2002/06/22 20:00
12	58	427/2.1-2.31.ccls. and (gas same evaporat\$4)	USPAT	2002/06/22 19:54
13	2	(427/2.1-2.31.ccls. and (gas same evaporat\$4)) and rotat\$4 and stent and spray\$4	USPAT	2002/06/23 00:11
14	52	((427/2.1-2.31.ccls. and (gas and evaporat\$4)) and rotat\$4) and spray\$4	USPAT	2002/06/22 20:02
15	77	427/2.1-2.31.ccls. and ((gas or air) same (blow\$3 or imping\$3) same (dry or drying or dried or evaporat\$3))	USPAT	2002/06/22 20:04
16	2	(427/2.1-2.31.ccls. and ((gas or air) same (blow\$3 or imping\$3) same (dry or drying or dried or evaporat\$3))) and stent and spray\$	USPAT	2002/06/22 20:04
17	2	(427/2.1-2.31.ccls. and ((gas or air) same (blow\$3 or imping\$3) same (dry or drying or dried or evaporat\$3))) and stent and spray\$3	USPAT	2002/06/22 20:05
18	50	(427/2.1-2.31.ccls. and ((gas or air) same (blow\$3 or imping\$3) same (dry or drying or dried or evaporat\$3))) and spray\$3	USPAT	2002/06/22 20:07
19	4	((427/2.1-2.31.ccls. and ((gas or air) same (blow\$3 or imping\$3) same (dry or drying or dried or evaporat\$3))) and spray\$3) and (stent or catheter)	USPAT	2002/06/22 20:12
20	3	427/2.1-2.31.ccls. and ((multi\$1layer or (plural near5 layer)) same stent)	USPAT	2002/06/22 20:14
21	298	(paclitaxel or docetaxel) same Taxol	USPAT	2002/06/23 00:15